

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emerg	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
Alaska Gateway																											
45	45	M Tanacross K-8 School Building Renovation	30.00	14.25	0.00	0.00	1.89	0.00	0.00	0.00	5.00	15.00	10.00	2.00	2.00	2.67	3.00	2.00	0.00	17.67	23.33	1.67	16.00	9.00	1.67	13.67	170.81
74	74	M Northway K-12 School Building Renovation	27.00	13.42	0.00	0.00	1.89	0.00	0.00	0.00	0.00	15.00	10.00	2.00	2.00	2.67	3.00	2.00	0.00	13.00	11.33	1.00	13.33	14.00	1.67	8.33	141.65
89	89	M Eagle K-12 School Building Renovation	24.00	8.75	0.00	0.00	1.89	0.00	0.00	0.00	0.00	15.00	10.00	2.00	2.00	2.67	3.00	2.00	0.00	12.67	13.33	0.67	14.67	9.00	1.33	8.00	130.98
Aleutians East																											
13	12	C King Cove K-12 School Paving	21.00	0.00	0.00	30.00	2.02	0.00	0.00	0.00	5.00	15.00	10.00	4.00	5.00	4.00	4.00	4.00	0.00	14.67	2.00	0.33	29.00	3.00	3.00	12.33	168.35
31	31	M Sand Point K-12 School Pool Maintenance	27.00	9.10	0.00	30.00	2.17	0.00	0.00	0.00	0.00	15.00	10.00	1.67	0.33	0.33	0.33	1.00	0.00	20.00	5.33	4.33	23.33	11.67	4.00	16.00	181.60
27	26	M Akutan K-12 School Siding Replacement	30.00	3.99	0.00	30.00	2.17	0.00	0.00	0.00	0.00	15.00	10.00	1.67	0.33	0.33	0.33	1.00	1.00	17.00	8.67	2.00	28.67	11.33	2.67	18.33	184.49
12	12	M Sand Point K-12 School Gym Floor And Bleacher Replacement	24.00	9.85	0.00	30.00	2.02	0.00	0.00	0.00	5.00	15.00	10.00	4.00	5.00	4.00	4.00	4.00	2.00	25.33	6.00	2.67	27.67	2.67	2.33	18.33	203.87
Anchorage																											
60	59	M Districtwide Mechanical Upgrades, 6 Schools	12.00	23.45	0.00	10.00	4.82	0.00	0.00	0.00	5.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	17.33	9.00	1.67	14.67	1.33	2.33	8.67	157.94
42	40	M Gladys Wood Elementary School Design	15.00	24.07	0.00	10.00	4.82	0.00	0.00	0.00	10.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	16.00	16.33	2.67	14.67	2.33	2.33	9.00	174.89
41	38	M Districtwide Electrical Upgrades, 6 Elementary Schools	18.00	26.24	0.00	10.00	4.82	0.00	0.00	0.00	10.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	18.00	4.33	1.67	15.67	8.67	2.33	8.00	175.39
52	52	M Districtwide Fire Alarm Upgrades, 5 Facilities	21.00	9.04	0.00	10.00	4.82	0.00	0.00	0.00	10.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	17.00	10.00	1.67	15.67	4.00	2.33	10.00	163.19
37	35	M Inlet View Elementary School Design	24.00	30.00	0.00	0.00	4.82	0.00	0.00	0.00	10.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	17.00	18.67	3.67	7.33	2.00	2.00	10.67	177.82
14	13	C Huffman Elementary & Chugiak HS Site Improvements	30.00	14.82	0.00	10.00	4.82	0.00	0.00	0.00	5.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	17.33	2.00	0.33	20.33	2.67	2.33	10.67	167.98
84	83	M Districtwide Code/Sprinkler Upgrades	3.00	30.00	0.00	0.00	4.82	0.00	0.00	0.00	0.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	12.33	10.00	0.00	14.00	3.33	2.33	6.33	133.82
102	102	M Districtwide General Building Renovations, 4 Schools	9.00	9.45	0.00	0.00	4.82	0.00	0.00	0.00	0.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	14.67	3.33	2.00	14.00	1.33	2.33	8.67	117.27
17	17	C Districtwide High School Athletic Field Upgrades	6.00	30.00	0.00	0.00	4.82	0.00	0.00	0.00	0.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	14.33	1.67	2.33	13.67	8.33	2.00	11.00	141.82

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
19	18	M Districtwide Roof Replacements & Structural Upgrades, 4 Schools	27.00	30.00	0.00	10.00	4.82	0.00	0.00	0.00	10.00	15.00	10.00	5.00	5.00	4.00	3.67	5.00	0.00	19.33	14.67	1.67	15.33	2.00	2.33	9.67	194.49
Annette Island																											
20	19	C Metlakatla Schools Track And Field Construction	15.00	30.00	0.00	0.00	1.82	0.00	0.00	0.00	5.00	15.00	10.00	3.67	3.67	3.33	4.33	3.33	0.00	14.00	1.33	3.00	11.33	1.67	3.00	9.33	138.82
24	22	M Metlakatla Elementary School Underground Fuel Tank Replacement	27.00	6.50	0.00	30.00	1.82	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.67	3.33	4.33	3.33	7.33	17.00	8.67	1.00	15.33	7.33	3.00	9.67	187.99
6	5	M District Phone System Replacement	30.00	25.80	0.00	30.00	1.79	0.00	0.00	0.00	5.00	15.00	10.00	2.67	3.67	3.00	4.33	3.33	0.00	25.67	5.00	0.67	29.33	4.00	3.00	12.67	214.92
51	51	M Metlakatla High School Annex Renovation	18.00	12.50	0.00	0.00	1.79	0.00	0.00	0.00	10.00	15.00	10.00	2.67	3.67	3.00	4.33	3.33	6.00	15.67	18.33	5.33	16.67	5.33	2.67	9.33	163.62
38	36	M Metlakatla High School Kitchen Renovation	21.00	30.00	0.00	10.00	1.79	0.00	0.00	0.00	10.00	15.00	10.00	2.67	3.67	3.00	4.33	3.33	0.00	17.00	9.67	2.67	16.00	4.00	3.00	10.67	177.79
46	46	M Metlakatla Elementary School Renovation	24.00	16.47	0.00	0.00	1.79	0.00	0.00	0.00	5.00	15.00	10.00	2.67	3.67	3.00	4.33	3.33	9.33	15.33	15.67	5.00	12.33	9.33	3.00	10.67	169.93
Bering Strait																											
80	80	M Districtwide Fuel Tank Demolition	27.00	30.00	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	4.33	3.33	3.00	2.33	2.33	0.00	8.67	8.67	0.00	10.33	0.00	0.00	10.67	138.11
43	43	M Shaktoolik K-12 School Renovation	30.00	11.00	0.00	20.00	2.44	0.00	0.00	0.00	10.00	15.00	10.00	4.33	3.33	3.00	2.33	2.33	0.00	15.67	14.33	2.00	15.00	1.67	1.33	8.00	171.77
Chatham																											
48	48	M Klukwan K-12 School Major Maintenance	30.00	9.50	0.00	0.00	1.05	0.00	0.00	0.00	10.00	15.00	10.00	2.67	2.33	1.00	1.33	1.67	4.00	17.67	16.00	3.33	16.00	7.67	4.00	12.67	165.88
21	20	M Tenakee K-12 School Roof Replacement	27.00	8.75	0.00	30.00	1.26	0.00	0.00	0.00	10.00	15.00	10.00	3.33	3.33	3.00	2.33	2.67	5.00	16.67	14.00	2.67	14.33	3.00	4.00	17.33	193.68
58	58	M Angoon Mechanical Upgrades, 2 Schools	24.00	18.73	0.00	0.00	1.26	0.00	0.00	0.00	10.00	15.00	10.00	3.33	3.33	3.00	2.33	2.67	0.00	14.67	9.33	2.00	13.33	16.00	2.67	7.33	158.99
Copper River																											
47	47	M Chistochina Elementary School Renovation	27.00	11.77	0.00	10.00	1.46	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.00	3.33	2.67	3.33	0.00	17.33	17.00	0.33	17.00	2.67	2.67	9.67	167.89
40	37	M Copper Center Elementary School Renovation	30.00	12.31	0.00	10.00	1.46	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.00	3.33	2.67	3.33	0.00	17.67	19.00	1.67	17.67	2.67	3.00	10.67	177.10
Craig City																											
30	30	M Alternative Wood Heat Project	30.00	12.63	0.00	30.00	1.76	0.00	0.00	0.00	0.00	15.00	10.00	1.67	1.33	1.00	0.67	1.00	0.00	15.00	0.00	0.67	18.67	24.67	3.67	14.00	181.73
Delta/Greely																											
56	56	M Delta High School Back-Up Generator	30.00	27.46	0.00	0.00	2.85	0.00	0.00	0.00	10.00	15.00	10.00	3.33	1.67	1.33	1.33	1.33	0.67	13.67	8.67	0.67	12.33	2.33	3.67	14.00	160.31

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
Denali Borough																											
64	63	M Anderson K-12 School Siding Replacement	24.00	14.31	0.00	0.00	3.31	0.00	0.00	0.00	5.00	15.00	10.00	4.67	5.00	4.33	3.67	3.33	0.00	14.00	8.67	0.33	12.33	6.33	2.33	14.33	150.95
78	78	M Door Replacement, 3 Schools	21.00	12.40	0.00	0.00	3.31	0.00	0.00	0.00	5.00	15.00	10.00	4.67	5.00	4.33	3.67	3.33	0.00	13.33	7.33	2.67	13.33	3.00	2.67	10.33	140.38
9	9	M Tri-Valley K-12 School Gymnasium & Locker Room Roof Replacement	30.00	26.50	0.00	30.00	3.31	0.00	0.00	0.00	5.00	15.00	10.00	4.67	5.00	4.33	3.67	3.33	5.67	15.67	14.67	0.67	13.33	2.67	3.00	13.00	209.48
54	54	M Cantwell K-12 School Sprinkler Installation & Fire Alarm Upgrade	27.00	12.40	0.00	10.00	3.31	0.00	0.00	0.00	5.00	15.00	10.00	4.67	5.00	4.33	3.67	3.33	2.33	15.67	11.33	0.00	14.33	2.33	2.33	10.00	162.05
Fairbanks																											
115	115	M Administrative Center Air Conditioning Units Replacement	15.00	3.50	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.00	7.00	0.00	13.00	8.33	2.67	7.33	98.90
116	117	M Arctic Light Elementary Lighting Renovation	3.00	3.50	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.00	1.67	0.00	12.67	9.67	2.00	11.67	86.23
113	113	M Woodriver Elementary Gymnasium Renovation	6.00	19.50	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.67	6.33	0.67	13.00	6.33	2.00	7.33	103.90
18	20	C North Pole Attendance Area New Elementary School	12.00	0.00	0.00	0.00	3.40	5.17	8.84	23.67	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	13.67	0.00	9.33	13.67	2.33	5.00	17.67	141.42
114	114	M Weller Elementary Septic System Replacement	18.00	10.25	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.00	6.00	0.00	13.00	4.33	1.00	7.00	101.65
81	84	M North Pole Middle School Roof & Clerestories Replacement	21.00	21.25	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.33	13.33	0.00	12.33	9.00	2.33	16.33	137.98
106	110	M North Pole High School Vocational Wing Renovation	24.00	9.50	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.67	7.67	0.67	13.67	4.00	3.00	8.33	113.56
105	108	M Pearl Creek Elementary Septic System Replacement & Plumbing Systems Renovation	27.00	10.25	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.33	9.00	0.00	11.00	5.67	1.33	8.33	114.98
34	42	M Ryan Middle School Renovation, Phase II	30.00	30.00	0.00	10.00	3.40	0.00	0.00	0.00	5.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	3.67	19.00	18.00	2.00	17.33	4.33	1.33	8.33	179.06
110	111	M Salcha Elementary Roof & Building Envelope Replacement & Upgrade	9.00	22.21	0.00	0.00	3.40	0.00	0.00	0.00	0.00	5.00	0.00	4.00	4.00	5.00	4.67	4.00	0.00	12.33	10.33	0.00	13.33	6.67	1.00	7.33	112.28

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points	
Galena																												
35	33	M Sydney Huntington High School Floor Upgrade, Galena	27.00	16.00	0.00	20.00	5.00	0.00	0.00	0.00	10.00	15.00	10.00	2.67	4.67	3.67	2.33	2.33	1.00	16.33	5.33	2.67	14.67	2.33	3.67	14.00	178.67	
9	9	C Galena Regional Learning Center Iditarod Classroom Conversion	30.00	6.50	0.00	20.00	5.00	0.00	0.00	21.29	10.00	15.00	10.00	2.67	4.67	3.67	2.33	2.33	0.00	15.67	9.67	4.67	17.33	1.33	3.33	7.00	192.46	
Haines																												
36	34	M Haines Voc Ed Building Mechanical Upgrades	30.00	17.75	0.00	20.00	1.90	0.00	0.00	0.00	10.00	15.00	10.00	3.00	2.67	2.00	1.33	2.33	0.00	16.67	10.00	1.67	12.67	6.00	4.00	11.00	177.99	
Hoonah City																												
57	57	M Hoonah Schools Major Maintenance	30.00	21.56	0.00	0.00	1.44	0.00	0.00	0.00	5.00	15.00	10.00	3.00	2.33	1.67	1.67	2.00	0.00	15.33	14.00	2.00	16.67	4.33	4.00	9.00	159.00	
Juneau City Borough																												
109	107	M District Maintenance Facility Renovation	15.00	10.18	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	7.67	8.67	0.33	7.00	2.33	2.00	10.33	112.37	
117	116	M Dzantik'i Heeni Middle School Renovation	18.00	3.00	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	6.67	0.00	0.00	5.67	0.67	0.00	0.00	82.86	
32	32	C Districtwide Food Service Upgrades	12.00	7.77	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	7.67	0.00	0.33	4.67	2.33	0.00	7.67	91.30	
101	101	M Mendenhall River Community School Renovation	21.00	10.25	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	8.33	2.67	1.67	6.67	7.33	2.33	9.67	118.78	
26	26	C Floyd Dryden MS Covered Play Area Construction, Adair-Kennedy Turf Field Replacement & Dzantik'i Heeni MS Site Improvements	24.00	8.32	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	8.33	2.67	1.33	5.33	0.67	2.67	10.33	112.52	
83	82	M Marie Drake Building Renovation	30.00	30.00	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	7.67	3.33	0.67	3.00	4.00	2.00	6.67	136.19	
30	30	C Juneau School District Site/Safety/Security Improvements	27.00	9.69	0.00	0.00	2.86	0.00	0.00	0.00	0.00	15.00	10.00	5.00	4.67	4.67	3.67	3.00	0.00	7.33	3.00	0.00	4.00	0.00	0.00	0.00	99.89	
Kake City																												
8	8	M Districtwide Lighting Upgrades	27.00	13.09	0.00	30.00	1.51	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.33	2.33	4.00	2.33	0.00	21.33	2.67	1.67	25.67	20.33	3.00	14.67	211.61	
44	44	M Kake Elementary School Ventilation System Upgrade	30.00	1.50	0.00	30.00	1.67	0.00	0.00	0.00	5.00	15.00	10.00	2.33	2.33	2.00	2.67	1.67	0.67	18.67	9.67	3.33	16.33	5.67	3.00	9.67	171.17	

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points	
Kenai Peninsula																												
97	97	M Districtwide Locker Replacements, 8 Schools	27.00	12.16	0.00	30.00	2.82	0.00	0.00	0.00	0.00	10.00	0.00	2.67	4.67	3.67	3.67	3.33	0.00	7.33	2.00	0.00	4.00	3.00	0.00	6.33	122.65	
55	55	M Districtwide Window Replacements, 5 Schools	30.00	23.74	0.00	30.00	2.82	0.00	0.00	0.00	0.00	10.00	0.00	2.67	4.67	3.67	3.67	3.33	0.00	14.67	5.33	0.00	13.67	6.33	0.67	5.33	160.56	
75	75	M Districtwide Security Systems	24.00	11.99	0.00	10.00	2.82	0.00	0.00	0.00	0.00	10.00	0.00	2.67	4.67	3.67	3.67	3.33	0.00	14.33	6.67	0.33	13.67	14.33	3.00	12.33	141.48	
19	18	C Districtwide Asphalt Repairs	21.00	28.29	0.00	30.00	2.82	0.00	0.00	0.00	0.00	10.00	0.00	2.67	4.67	3.67	3.67	3.33	0.00	8.00	2.67	0.00	9.33	2.33	0.33	7.67	140.45	
Ketchikan																												
70	70	M Districtwide Major Maintenance	27.00	20.63	0.00	0.00	3.75	0.00	0.00	0.00	5.00	15.00	10.00	5.00	3.67	4.00	4.00	3.67	0.00	14.00	2.67	2.67	12.67	0.67	4.00	6.33	144.71	
29	29	M Districtwide Electric Boiler Installation	21.00	18.31	0.00	10.00	3.75	0.00	0.00	0.00	10.00	15.00	10.00	5.00	3.67	4.00	4.00	3.67	0.00	17.00	0.00	1.00	16.00	19.33	2.67	18.00	182.39	
2	2	M Valley Park Elementary School Roof Replacement	30.00	24.27	0.00	20.00	3.75	0.00	0.00	0.00	10.00	15.00	10.00	5.00	3.67	4.00	4.00	3.67	13.33	21.33	13.33	4.00	21.33	5.67	2.33	11.67	226.35	
71	71	M Ketchikan High School Stage Lighting System Replacement	24.00	16.10	0.00	0.00	3.53	0.00	0.00	0.00	10.00	15.00	10.00	4.67	3.33	2.67	3.33	3.67	0.00	14.00	1.67	0.00	13.67	6.00	4.00	8.67	144.30	
Klawock City																												
53	53	M Klawock K-12 School Underground Storage Tank Replacement	30.00	26.31	0.00	0.00	1.93	0.00	0.00	0.00	5.00	15.00	10.00	4.33	3.67	2.67	3.67	4.00	0.00	14.00	10.67	0.00	13.33	1.67	4.00	12.33	162.57	
Kodiak Island																												
93	93	M Districtwide Underground Storage Tank Replacement	27.00	16.66	0.00	0.00	2.73	0.00	0.00	0.00	0.00	15.00	10.00	3.67	0.00	4.00	4.33	2.67	0.00	11.00	8.67	0.00	12.00	2.67	0.00	6.33	126.72	
98	98	M Akhiok School Sewer Line Repair	30.00	30.00	0.00	0.00	2.73	0.00	0.00	0.00	0.00	0.00	0.00	3.67	0.00	4.00	4.33	2.67	0.00	10.00	7.67	1.33	4.67	16.00	0.00	5.33	122.40	
Kuspuk																												
61	60	M Districtwide Heating System Upgrades	21.00	25.59	0.00	0.00	3.91	0.00	0.00	0.00	0.00	15.00	10.00	1.00	1.00	1.00	1.67	1.00	9.33	12.67	13.00	2.00	13.67	12.33	2.67	8.33	155.16	
11	11	C Johnnie John Sr. K-12 Replacement School, Crooked Creek	24.00	12.07	0.00	0.00	3.91	0.00	0.71	23.38	5.00	15.00	10.00	1.00	1.00	1.00	1.67	1.00	5.67	13.00	12.33	10.33	13.67	7.67	3.00	13.00	178.39	
8	8	C Auntie Mary Nicoli Elementary School Replacement, Aniak	27.00	30.00	0.00	0.00	3.91	0.00	0.00	23.76	5.00	15.00	10.00	1.00	1.00	1.00	1.67	1.00	6.33	13.67	18.00	13.00	16.00	10.00	3.00	14.00	214.33	
16	16	M Jack Egnaty Sr. K-12 School Roof Replacement, Sleetmute	30.00	14.25	0.00	30.00	3.91	0.00	0.00	0.00	5.00	15.00	10.00	1.00	1.00	1.00	1.67	1.00	12.33	12.67	16.00	2.67	13.67	10.67	3.00	11.67	196.49	

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points	
Lake & Peninsula																												
10	10	C Port Alsworth Classroom Addition	30.00	6.04	0.00	0.00	2.70	8.21	25.62	29.07	0.00	15.00	0.00	3.67	3.33	2.33	3.00	3.33	0.00	13.00	3.00	19.67	12.67	2.33	1.67	6.00	190.65	
103	103	M Newhalen Kitchen Renovation	27.00	7.96	0.00	0.00	2.70	0.00	0.00	0.00	0.00	15.00	0.00	3.67	3.33	2.33	3.00	3.33	0.00	12.33	5.00	6.33	13.67	2.00	0.67	7.67	115.99	
Lower Kuskokwim																												
32	39	M Mekoryuk Wastewater Upgrades	18.00	11.24	0.00	20.00	3.64	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	5.00	18.33	8.67	0.00	19.67	4.00	2.33	12.33	181.21	
59	66	M Nunapitchuk Fire Alarm Repair / Replacement	12.00	7.30	0.00	10.00	3.64	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	2.00	18.67	10.67	0.00	20.00	4.33	2.33	9.33	158.27	
2	2	C Napaskiak K-12 School Replacement	24.00	9.32	0.00	10.00	3.71	36.21	30.00	23.99	10.00	15.00	10.00	5.00	5.00	4.00	4.67	4.33	0.00	21.33	9.67	22.33	18.67	3.00	4.33	18.33	292.89	
6	6	C Nightmute K-12 School Renovation / Addition	6.00	3.98	0.00	10.00	3.71	24.73	29.87	23.39	10.00	15.00	10.00	5.00	5.00	4.00	4.67	4.33	0.00	17.33	12.33	23.33	17.00	4.67	4.33	13.67	252.36	
17	21	M Tununak K-12 School Major Maintenance	21.00	9.67	0.00	20.00	3.64	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	2.67	20.67	13.33	0.33	20.00	7.00	3.67	15.00	194.97	
23	27	M Bethel Campus Water / Sewer Line & Utilidor Repairs	30.00	11.56	0.00	10.00	3.64	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	3.33	19.33	8.33	0.67	19.33	3.67	3.33	18.33	189.53	
1	1	C Kuinerrarmiut Elitnaurviat K-12 School Renovation / Addition, Quinhagak	27.00	10.13	0.00	10.00	3.64	42.47	30.00	22.69	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	0.00	19.67	15.67	27.33	17.67	6.00	4.00	18.00	312.26	
7	7	C Kwethluk K-12 School Replacement	9.00	8.22	0.00	10.00	3.71	24.73	20.86	22.53	10.00	15.00	10.00	5.00	5.00	4.00	4.67	4.33	0.00	17.67	15.00	20.67	16.67	3.33	4.33	14.33	249.06	
22	25	M Nunapitchuk Wastewater Upgrades	15.00	12.14	0.00	20.00	3.64	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.67	4.33	4.67	4.33	7.00	20.33	8.67	0.00	19.67	5.33	2.33	19.00	191.11	
Lower Yukon																												
39	41	M Hooper Bay K-12 School Electrical Upgrades	18.00	0.00	0.00	30.00	2.01	0.00	0.00	0.00	5.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	0.00	28.67	6.00	0.67	29.33	0.00	0.00	11.00	177.68	
4	7	M Alakanuk Emergency Electrical Service Repairs	15.00	23.00	0.00	30.00	2.01	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	9.00	29.67	6.67	0.00	30.00	0.00	0.00	14.00	216.35	
12	14	C Pilot Station Access Road Relocation	21.00	0.00	0.00	30.00	2.01	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	0.00	20.67	6.67	0.00	20.67	0.00	0.00	10.67	168.68	
11	11	M Scammon Bay K-12 School Generator & Fuel Tank Relocation	24.00	0.00	0.00	30.00	2.01	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	13.67	23.33	9.67	0.00	21.33	9.00	1.67	15.33	207.01	
13	14	M Pitka's Point K-8 School Renovation	27.00	11.26	0.00	20.00	2.01	0.00	0.00	0.00	10.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	0.00	22.00	20.00	3.33	19.67	7.33	2.33	11.00	202.94	
4	4	C Emmonak K-12 School Renovation / Addition	30.00	8.90	0.00	20.00	2.01	19.24	11.55	25.94	10.00	15.00	10.00	5.00	4.00	4.00	4.00	5.00	0.00	24.00	17.67	14.67	18.67	8.33	4.33	18.33	280.64	

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
Mat-Su Borough																											
76	76	M Palmer Middle School Lockers Replacement	3.00	30.00	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.00	2.33	0.00	10.00	6.00	1.67	7.67	140.78
24	24	C Iditarod Elementary School Interior Renovation	6.00	8.10	0.00	0.00	2.44	0.00	2.08	23.22	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	7.00	8.00	9.67	4.67	2.00	1.33	8.00	121.19
31	31	C Pioneer Peak Playground Equipment Replacement	9.00	8.75	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	8.67	2.00	0.00	11.00	4.00	1.33	8.00	93.86
96	96	M Administration Building Generator & Related Electrical Replacement	15.00	28.25	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.00	6.33	0.00	10.33	2.67	1.33	9.00	123.03
104	104	M Houston Middle School Lockers Replacement	0.00	7.25	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.67	5.00	3.33	3.33	3.33	0.00	9.33	3.33	0.00	8.00	5.00	1.33	6.33	115.69
88	88	M Districtwide Lighting Upgrades	12.00	8.79	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.00	0.00	0.33	10.67	11.33	1.67	6.33	131.23
27	27	C Meadow Lakes Elementary School Playground Equipment Replacement	0.00	0.00	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.67	5.00	3.33	3.33	3.33	0.00	11.33	2.00	0.00	12.00	2.00	1.33	7.00	110.77
25	25	C Talkeetna Elementary School Playground Equipment Replacement	0.00	5.07	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.67	5.00	3.33	3.33	3.33	0.00	10.67	2.00	0.00	12.00	2.00	1.33	7.00	115.18
29	29	C Colony High School Chalk Boards Replacement	0.00	5.75	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.67	5.00	3.33	3.33	3.33	0.00	8.67	1.00	0.00	12.00	0.00	1.33	6.33	110.19
92	92	M Boiler Systems Replacements, 4 Facilities	21.00	19.83	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.33	8.00	0.67	12.67	6.67	1.33	6.67	127.27
85	85	M Big Lake Elementary Classroom Wing Renovation	24.00	30.00	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.67	7.67	0.00	12.67	3.00	0.67	3.67	132.44
95	95	M Renovate HVAC Systems, 5 Elementary Schools	27.00	11.61	0.00	0.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.00	10.00	0.33	12.00	4.67	1.33	6.00	123.05
21	21	C Mat-Su Day School New Construction	30.00	0.00	0.00	0.00	2.44	0.00	2.89	24.44	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	8.67	0.67	10.67	10.67	0.00	2.00	5.00	136.10
62	61	M Butte, Cottonwood Creek, Pioneer Peak & Snowshoe Elementary Wash Fountain Replacements	18.00	11.19	0.00	30.00	2.44	0.00	0.00	0.00	0.00	15.00	10.00	2.00	5.00	2.33	1.67	2.67	0.00	9.67	7.00	0.00	13.67	12.33	2.00	8.33	153.30
Nenana City																											
26	24	M Nenana K-12 School Major Maintenance	27.00	18.78	0.00	20.00	3.40	0.00	0.00	0.00	5.00	15.00	10.00	1.67	1.67	2.33	3.33	2.00	1.00	17.67	9.00	1.33	19.67	4.67	5.00	19.33	187.85
28	28	M Nenana K-12 School ADA Upgrades / Erosion Control	30.00	18.78	0.00	10.00	3.40	0.00	0.00	0.00	5.00	15.00	10.00	1.67	1.67	2.33	3.33	2.00	0.00	18.00	8.33	0.67	20.33	10.00	5.00	17.00	182.51

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
Nome City																											
3	3	M Nome Elementary Boiler Replacement	30.00	7.25	0.00	30.00	3.07	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.67	3.00	4.00	4.33	0.67	25.67	10.67	2.67	27.00	12.33	3.67	12.33	218.99
Northwest Arctic																											
3	3	C Kivalina K-12 School Renovation/Addition	30.00	18.75	0.00	20.00	3.45	17.91	11.17	22.13	10.00	15.00	10.00	3.33	3.67	2.67	2.33	4.67	0.00	21.67	18.67	15.67	21.00	10.33	4.67	14.33	281.40
20	19	M Buckland K-12 School Heating System Improvements	27.00	2.60	0.00	10.00	3.45	0.00	0.00	0.00	10.00	15.00	10.00	3.33	3.67	2.67	2.33	4.67	0.00	23.00	8.67	0.67	22.00	24.33	2.33	18.67	194.38
Pelican City																											
5	4	M Pelican High School Mechanical Upgrades	30.00	19.50	0.00	20.00	1.45	0.00	0.00	0.00	10.00	15.00	10.00	2.67	2.00	3.00	2.33	2.33	0.00	21.67	14.00	3.00	22.33	14.00	3.67	18.33	215.29
Petersburg City																											
108	106	M Rae C Stedman Elementary Lunchroom Renovation	21.00	30.00	0.00	0.00	1.09	0.00	0.00	0.00	5.00	10.00	5.00	1.33	2.00	1.33	1.33	1.00	0.00	9.00	6.67	4.00	7.33	2.00	1.00	3.67	112.75
111	109	M Districtwide Digital HVAC Controls	18.00	30.00	0.00	0.00	1.09	0.00	0.00	0.00	5.00	10.00	5.00	1.33	2.00	1.33	1.33	1.00	0.00	7.00	9.33	0.67	7.00	2.67	1.00	6.00	109.75
107	105	M Districtwide Boiler Upgrades	27.00	30.00	0.00	0.00	1.09	0.00	0.00	0.00	5.00	10.00	5.00	1.33	2.00	1.33	1.33	1.00	0.00	7.33	3.67	0.00	7.00	3.00	1.00	5.67	112.75
28	28	C Districtwide Covered Sidewalks	24.00	30.00	0.00	0.00	1.22	0.00	0.00	10.00	5.00	5.00	5.00	1.67	2.00	1.33	1.33	0.33	0.00	8.67	1.67	0.00	10.00	1.67	1.33	0.33	110.55
94	94	M Petersburg Elementary Exterior Upgrades	30.00	30.00	0.00	0.00	1.22	0.00	0.00	0.00	5.00	5.00	5.00	1.67	2.00	1.33	1.33	0.33	0.00	13.67	6.33	0.00	13.00	2.67	1.33	3.33	123.22
Saint Marys																											
15	15	C Playground Equipment Replacement	24.00	21.25	0.00	0.00	1.23	0.00	0.00	0.00	10.00	15.00	10.00	4.00	3.67	3.00	3.00	3.67	0.00	14.00	6.67	1.67	14.33	1.33	4.00	10.00	150.81
10	10	M Back-up Generator Replacement, 3 Buildings	27.00	15.99	0.00	30.00	1.25	0.00	0.00	0.00	10.00	15.00	10.00	4.33	4.00	3.00	3.33	4.00	2.33	24.33	8.67	0.67	24.33	4.67	3.33	12.00	208.25
1	1	M St. Mary's Complex Renovation Completion	30.00	23.00	0.00	30.00	1.25	0.00	0.00	0.00	10.00	15.00	10.00	4.33	4.00	3.00	3.33	4.00	0.00	28.67	8.00	2.00	30.00	14.00	4.00	15.67	240.25
Southeast Island																											
16	16	C Kasaan K-12 Covered Physical Education Area	15.00	11.02	0.00	0.00	2.57	0.00	0.00	15.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	0.00	13.00	0.00	14.33	13.00	0.00	2.00	10.00	144.59
91	91	M Thorne Bay And Port Protection Gymnasium Lighting Upgrades	18.00	3.89	0.00	0.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	0.00	13.00	3.67	0.33	12.67	11.00	3.67	11.00	128.46
90	90	M Thorne Bay K-12 School Mechanical Control Upgrades	21.00	4.28	0.00	0.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	0.00	13.00	5.33	0.33	13.67	11.33	3.67	7.00	130.85

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
82	81	M Thorne Bay K-12 School Underground Storage Tank Replacement	27.00	4.28	0.00	0.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	0.00	13.33	10.33	0.33	13.33	2.67	4.00	10.67	137.18
86	86	M Port Protection K-12 Gymnasium Relocation And Foundation	9.00	10.25	0.00	0.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	1.00	14.00	4.67	6.67	20.67	2.33	2.67	9.33	131.82
77	77	M Port Alexander K-12 School Domestic Water System Pipe Replacement	24.00	9.45	0.00	0.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	3.67	13.33	10.67	0.33	13.00	2.33	3.33	9.33	140.69
63	62	M Thorne Bay K-12 School Fire Suppression System Replacement	30.00	4.78	0.00	0.00	2.21	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.00	3.33	3.33	3.33	6.33	15.67	11.67	0.00	12.67	10.00	3.67	9.00	152.33
66	65	M Port Alexander And Thorne Bay K-12 School Roof Replacement	12.00	4.61	0.00	30.00	2.57	0.00	0.00	0.00	5.00	15.00	10.00	3.33	3.67	4.00	4.00	3.67	0.67	11.00	8.67	2.00	13.00	3.33	3.00	11.00	150.51
Southwest Region																											
49	49	M Twin Hills K-8 School Major Maintenance	27.00	30.00	0.00	0.00	2.17	0.00	0.00	0.00	0.00	15.00	10.00	4.33	4.00	4.00	3.33	4.00	0.00	11.67	11.33	0.00	13.67	10.33	2.00	11.33	164.17
5	5	C Koliganek K-12 School Replacement	30.00	30.00	0.00	20.00	2.17	0.00	0.00	24.03	10.00	15.00	10.00	4.33	4.00	4.00	3.33	4.00	0.00	23.00	18.33	6.33	18.67	6.33	3.00	22.00	258.53
Valdez City																											
100	100	M Districtwide Technology Upgrades	24.00	16.77	0.00	10.00	2.68	0.00	0.00	0.00	10.00	15.00	10.00	4.67	4.67	3.33	2.00	1.00	0.00	7.00	2.67	0.00	4.67	0.00	0.67	0.00	119.12
67	67	M Valdez High School Roof Replacement	21.00	19.50	0.00	10.00	2.68	0.00	0.00	0.00	10.00	15.00	10.00	4.67	4.67	3.33	2.00	1.00	0.00	14.00	14.67	0.00	15.00	0.00	0.67	0.00	148.18
25	23	M Valdez High School Fire Alarm And Sprinkler Replacement	30.00	15.93	0.00	30.00	2.68	0.00	0.00	0.00	10.00	15.00	10.00	4.67	4.67	3.33	2.00	1.00	0.00	18.00	12.33	0.00	27.67	0.00	0.67	0.00	187.94
33	32	M Hermon Hutchens Elementary Fire Alarm, Clock, And Intercom Replacement	27.00	12.50	0.00	30.00	2.68	0.00	0.00	0.00	10.00	15.00	10.00	4.67	4.67	3.33	2.00	1.00	0.00	20.67	6.67	0.00	29.00	0.00	0.67	0.00	179.85
Yakutat City																											
69	69	M Yakutat Schools Mechanical System Upgrades	24.00	14.72	0.00	0.00	1.72	0.00	0.00	0.00	10.00	15.00	10.00	4.67	2.00	1.67	2.67	3.33	0.00	14.00	7.33	1.33	13.33	6.33	3.67	9.00	144.77
87	87	M Yakutat High School Exterior Upgrades	21.00	14.52	0.00	0.00	1.72	0.00	0.00	0.00	5.00	15.00	10.00	4.67	2.00	1.67	2.67	3.33	0.00	12.67	5.00	0.33	12.67	4.67	3.67	10.67	131.24
73	73	M Yakutat Swimming Pool Lighting and Mechanical Upgrades	27.00	14.25	0.00	0.00	1.64	0.00	0.00	0.00	5.00	15.00	10.00	4.33	1.67	1.67	2.67	3.67	0.00	13.67	8.67	2.67	13.67	4.00	2.67	9.67	141.89

**Alaska Department of Education and Early Development
Capital Improvement Projects (FY2012)
School Construction/Major Maintenance by District**

**Total Points - Objective and Subjective
Reconsideration List**

Dec. 17	Nov. 5	Project Name	School District Ranking	Weighted Avg Age Facilities	Previous 14.11 Funding	Plan and Design	Avg Expend Maint	Un-housed Today	Un-housed 7 Years	Type of Space Add/Imp	Survey and Apprais	Maint Labor	Maint Type	Maint Mgt	Energy Mgt	Cusd Pgm	Maint Train	Capital Plan	Emergency	Adeq Doc	Life/Safety and Code Conditions	Existing Space	Cost Estimate	Proj vs Oper Cost	Alternatives	Options	Total Points
14	13	M Yakutat Elementary Kitchen Renovation Completion	30.00	11.60	0.00	30.00	1.72	0.00	0.00	0.00	10.00	15.00	10.00	4.67	2.00	1.67	2.67	3.33	0.00	25.00	7.00	0.00	28.00	3.33	3.67	11.00	200.65
22	22	C Yakutat School Bus Zone & Paving	18.00	15.50	0.00	10.00	1.64	0.00	0.00	0.00	5.00	15.00	10.00	4.33	1.67	1.67	2.67	3.67	0.00	12.67	5.00	0.33	12.33	3.33	3.00	7.33	133.14
Yukon Flats																											
7	6	M Arctic Village K-12 School Soil Remediation	30.00	0.00	0.00	30.00	2.18	0.00	0.00	0.00	10.00	15.00	10.00	3.67	3.00	2.67	3.67	3.33	17.33	25.33	15.00	0.00	22.33	1.67	2.33	16.67	214.18
68	68	M Chalkyitsik Water Tank Replacement	27.00	12.06	0.00	0.00	2.18	0.00	0.00	0.00	5.00	15.00	10.00	3.67	3.00	2.67	3.67	3.33	4.33	13.67	10.00	0.00	16.33	2.33	2.33	9.00	145.58
99	99	M Venetie Soil Remediation And Fuel Tank Replacement	12.00	28.25	0.00	0.00	2.34	0.00	0.00	0.00	0.00	15.00	10.00	2.67	2.00	1.33	2.33	2.33	0.00	11.33	8.67	0.00	13.67	1.00	1.33	8.00	122.26
112	112	M Stevens Village K-12 School Soil Remediation & Fuel Tank Replacement	15.00	6.50	0.00	0.00	2.34	0.00	0.00	0.00	0.00	15.00	10.00	2.67	2.00	1.33	2.33	2.33	0.00	11.33	8.00	0.00	14.00	1.00	1.67	9.67	105.17
72	72	M Cruikshank K-12 School Soil Remediation & Fuel Tank Replacement, Beaver	18.00	30.00	0.00	0.00	2.34	0.00	0.00	0.00	5.00	15.00	10.00	2.67	2.00	1.33	2.33	2.33	1.00	13.33	9.33	0.00	14.00	1.00	2.33	11.67	143.67
79	79	M Fort Yukon K-12 School Soil Remediation & Tank Farm Replacement	21.00	30.00	0.00	0.00	2.34	0.00	0.00	0.00	0.00	15.00	10.00	2.67	2.00	1.33	2.33	2.33	0.00	15.00	10.33	1.00	13.33	1.00	2.33	7.67	139.67
65	64	M Venetie Generator Building Renovation	24.00	7.25	0.00	10.00	2.34	0.00	0.00	0.00	5.00	15.00	10.00	2.67	2.00	1.33	2.33	2.33	2.67	17.33	8.00	0.67	15.33	4.00	2.33	16.00	150.59
Yukon-Koyukuk																											
18	17	M Andrew K. Demoski K-12 School Renovation, Nulato	27.00	20.78	0.00	20.00	2.42	0.00	0.00	0.00	10.00	15.00	10.00	3.00	1.67	2.67	3.00	2.67	4.67	15.00	15.67	5.33	18.67	5.67	3.33	8.00	194.53
15	15	M Kaltag K-12 School Mechanical And Electrical Upgrades	30.00	12.50	0.00	20.00	2.42	0.00	0.00	0.00	10.00	15.00	10.00	3.00	1.67	2.67	3.00	2.67	10.67	19.00	13.00	2.67	15.00	10.00	3.00	12.67	198.92
50	50	M Huslia High School Renovation	24.00	11.58	0.00	10.00	2.42	0.00	0.00	0.00	10.00	15.00	10.00	3.00	1.67	2.67	3.00	2.67	6.33	16.67	10.67	2.67	14.67	5.67	2.33	9.00	163.99
Yupitit																											
23	23	C Parking And Drive Resurfacing, 3 Schools	30.00	0.00	0.00	0.00	1.77	0.00	0.00	0.00	5.00	15.00	10.00	3.67	3.67	3.33	3.33	3.33	0.00	14.33	0.00	0.00	14.00	2.67	3.33	12.33	125.77